



New Jersey Department of Health
Environmental and Chemical Laboratory Services
PO Box 361, Trenton, NJ 08625-0361
NJDEP Lab ID#: 11036
EPA Lab ID#: NJ01351

Client Address:
LaCasa de DonPedro HS at 201 First St
201 First Street
Newark NJ, 7107

Report Date: 04/02/2025 11:32
Project: NJDCF Childcare Drinking Water

Client Sample ID: **Kitchen Dishwasher Sink**
Sample Location:
Field ID No: Kitchen Dishwasher Sink
Sample Type: First Draw

Lab Number: 25C0608-01
Sampled: 2/27/2025 7:01:00AM
Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	24.3		0.158	0.500	ug/L	03/28/2025	04/01/2025 12:26	EPA 200.8
Lead	0.349	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 12:26	EPA 200.8

NJDOH PHEL

Dave Riker, Organic Testing Laboratory Supervisor

Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Kitchen Hand Sink Near Entran**

Sample Location:

Field ID No: Kitchen Hand Sink Near Entrance

Sample Type: First Draw

Lab Number: 25C0608-02

Sampled: 2/27/2025 7:00:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	33.1		0.158	0.500	ug/L	03/28/2025	04/01/2025 12:30	EPA 200.8
Lead	0.680	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 12:30	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Room 6 Classroom 1A-1B Sink**

Sample Location:

Field ID No: Room 6 Classroom 1A-1B Sink

Sample Type: First Draw

Lab Number: 25C0608-03

Sampled: 2/27/2025 7:15:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	12.1		0.158	0.500	ug/L	03/28/2025	04/01/2025 12:35	EPA 200.8
Lead	0.286	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 12:35	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Room 7 Sink**

Sample Location:

Field ID No: Room 7 Sink

Sample Type: First Draw

Lab Number: 25C0608-04

Sampled: 2/27/2025 7:36:00AM


Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	28.9		0.158	0.500	ug/L	03/28/2025	04/01/2025 12:39	EPA 200.8
Lead	0.414	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 12:39	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Room 5 Sink**

Sample Location:

Field ID No: Room 5 Sink

Sample Type: First Draw

Lab Number: 25C0608-05

Sampled: 2/27/2025 7:35:00AM


Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	11.6		0.158	0.500	ug/L	03/28/2025	04/01/2025 12:43	EPA 200.8
Lead	0.257	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 12:43	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Room 8 Sink**

Sample Location:

Field ID No: Room 8 Sink

Sample Type: First Draw

Lab Number: 25C0608-06

Sampled: 2/27/2025 7:37:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	34.1		0.158	0.500	ug/L	03/28/2025	04/01/2025 12:47	EPA 200.8
Lead	1.12		0.075	1.00	ug/L	03/28/2025	04/01/2025 12:47	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: Classroom 2A-2B Sink

Sample Location:

Field ID No: Classroom 2A-2B Sink

Sample Type: First Draw

Lab Number: 25C0608-07

Sampled: 2/27/2025 7:20:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	30.9		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:00	EPA 200.8
Lead	0.778	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:00	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Kitchen Dishwasher Hose**

Sample Location:

Field ID No: Kitchen Dishwasher Hose

Sample Type: First Draw

Lab Number: 25C0608-08

Sampled: 2/27/2025 7:05:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	28.2		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:04	EPA 200.8
Lead	0.475	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:04	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Kitchen Handwash Near Exit**
 Sample Location:
 Field ID No: Kitchen Handwash Near Exit
 Sample Type: First Draw


Lab Number: 25C0608-09
 Sampled: 2/27/2025 7:08:00AM
 Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	24.4		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:08	EPA 200.8
Lead	0.377	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:08	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Classroom 1A-1B Boys Bathroom**
Sample Location:
Field ID No: Classroom 1A-1B Boys Bathroom Sink
Sample Type: First Draw

Lab Number: 25C0608-10
Sampled: 2/27/2025 7:12:00AM
Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	163		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:13	EPA 200.8
Lead	0.491	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:13	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Hallway Womens Bathroom Sin**
Sample Location:
Field ID No: Hallway Womens Bathroom Sink
Sample Type: First Draw

Lab Number: 25C0608-11
Sampled: 2/27/2025 7:26:00AM
Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	181		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:17	EPA 200.8
Lead	0.514	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:17	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Hallway Mens Restroom Sink**

Sample Location:

Field ID No: Hallway Mens Restroom Sink

Sample Type: First Draw

Lab Number: 25C0608-12

Sampled: 2/27/2025 7:11:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	6.16		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:21	EPA 200.8
Lead	0.108	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:21	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Hallway Water Cooler**

Sample Location:

Field ID No: Hallway Water Cooler

Sample Type: First Draw

Lab Number: 25C0608-13

Sampled: 2/27/2025 7:10:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	12.5		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:25	EPA 200.8
Lead	0.212	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:25	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: Classroom 1A-1B Bathroom Gir
Sample Location:
Field ID No: Classroom 1A-1B Bathroom Girls
Sample Type: First Draw

Lab Number: 25C0608-14
Sampled: 2/27/2025 7:13:00AM
Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	28.9		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:30	EPA 200.8
Lead	0.959	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:30	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Hallway Water Fountain**

Sample Location:

Field ID No: Hallway Water Fountain

Sample Type: First Draw

Lab Number: 25C0608-15

Sampled: 2/27/2025 7:22:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	20.1		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:34	EPA 200.8
Lead	0.076	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:34	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Classroom 2A-2B Bathroom Sin**
 Sample Location:
 Field ID No: Classroom 2A-2B Bathroom Sink Girls
 Sample Type: First Draw

Lab Number: 25C0608-16
 Sampled: 2/27/2025 7:16:00AM
 Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	13.5		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:38	EPA 200.8
Lead	0.271	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:38	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Hallway Water Cooler**
 Sample Location:
 Field ID No: Hallway Water Cooler
 Sample Type: First Draw


Lab Number: 25C0608-17
 Sampled: 2/27/2025 7:21:00AM
 Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	0.333	JR	0.158	0.500	ug/L	03/28/2025	04/01/2025 13:51	EPA 200.8
Lead	K		0.075	1.00	ug/L	03/28/2025	04/01/2025 13:51	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Room 4 Sink**

Sample Location:

Field ID No: Room 4 Sink

Sample Type: First Draw

Lab Number: 25C0608-18

Sampled: 2/27/2025 7:31:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	289		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:55	EPA 200.8
Lead	0.767	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 13:55	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Room 3 Sink**

Sample Location:

Field ID No: Room 3 Sink

Sample Type: First Draw

Lab Number: 25C0608-19

Sampled: 2/27/2025 7:30:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	44.2		0.208	0.500	ug/L	03/17/2025	03/26/2025 12:37	EPA 200.8
Lead	0.717	JR	0.088	1.00	ug/L	03/17/2025	03/26/2025 12:37	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Womens Restroom Sink**

Sample Location:

Field ID No: Womens Restroom Sink

Sample Type: First Draw

Lab Number: 25C0608-20

Sampled: 2/27/2025 7:42:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	25.7		0.158	0.500	ug/L	03/28/2025	04/01/2025 13:59	EPA 200.8
Lead	1.51		0.075	1.00	ug/L	03/28/2025	04/01/2025 13:59	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Hallway Mens Restroom Sink**
Sample Location:
Field ID No: Hallway Mens Restroom Sink
Sample Type: First Draw

Lab Number: 25C0608-21
Sampled: 2/27/2025 7:25:00AM
Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	24.4		0.158	0.500	ug/L	03/28/2025	04/01/2025 14:29	EPA 200.8
Lead	K		0.075	1.00	ug/L	03/28/2025	04/01/2025 14:29	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Hallway Water Fountain**

Sample Location:

Field ID No: Hallway Water Fountain

Sample Type: First Draw

Lab Number: 25C0608-22

Sampled: 2/27/2025 7:40:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	8.65		0.158	0.500	ug/L	03/28/2025	04/01/2025 14:41	EPA 200.8
Lead	0.231	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 14:41	EPA 200.8

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor

New Jersey Department of Health

Client Sample ID: **Room 6 Sink**

Sample Location:

Field ID No: Room 6 Sink

Sample Type: First Draw

Lab Number: 25C0608-23

Sampled: 2/27/2025 7:35:00AM

Received: 3/3/2025 10:38:23AM

Analyte	Result	Qualifier	Method Detection Limit	Reporting Limit	Units	Prepared	Analyzed	Method
Metals by EPA 200 Series Methods								
Copper	9.70		0.158	0.500	ug/L	03/28/2025	04/01/2025 14:46	EPA 200.8
Lead	0.111	JR	0.075	1.00	ug/L	03/28/2025	04/01/2025 14:46	EPA 200.8

Notes and definitions:

J Approximate Value


JR Approximate value. Result is below the reporting level but greater than the method detection limit.

Case Narrative Section:

NJDOH PHEL



Dave Riker, Organic Testing Laboratory Supervisor



Doug Haltmeier, Inorganic Testing Laboratory Supervisor